

Moody

DS41





LOA	12.52 m	41' 1"
LWL	11.42 m	37' 6"
Beam	4.20 m	13' 9"
Draft	2.14 m / 1.85 m	7' 0''6' 1''
Displacement approx.	11.20 t	24,692 lbs
Ballast approx.	3.13 t	6,900 lbs
Engine approx.	Diesel 41.9 kW	57 hp
Fresh water	475 I	125 gal
Fuel tankCE Certifcate	200 IA - 10	53 gal
Mast lenght above DWLstandard	19.92 m	65' 4''
Main approx.	48.20 m ²	519 sq ft
Jib approx.	37.60 m ²	405 sq ft
Reaching Yankee	56.80 m ²	611 sq ft
Gennaker A3	117.70 m ²	1,267 sq ft
Total sail area approx.	85.80 m ²	924 sq ft
Rlg	l 16.8 m J 4.7 m	55' 1"15' 5"
	P 16.2 m	53' 2"
	E 5.5 m	18' 1"
Design	Dixon Yacht Design	







Main deck with hard roof and Tee Top with retractable center section



Lower deck Standard arrangement. Two double cabins single head



Lower deck Option 1. One master with two singles and single head



Lower deck Option 2. One master with one double and two heads

Main deck saloon area. One level living space from aft to windscreen







HULL

4 hull windows (3 on starboard, 1 on port) GRP hull, isophthalic gelcoat: Off White, 1st layer vinyl ester resin and balsa sandwich laminate. Waterline and cove line, isophtalic gelcoat colour: Moody Grey

KEEL

- L-keel, cast iron, draft: 2.14 m
- GRP rudder with sea-water resistant aluminium shaft and self-aligning bearings

LAYOUT & INTERIOR

- A1: Master cabin with island double berth, storage space and head with separate shower stall
- B1: Guest cabin with double berth and storage locker
- C1: Saloon with full functional L-galley and dining area on stb chart table on port and utility area under saloon floorboard
- 3-burner gas stove with oven, waste bin, 12 V fridge approx. 130 I, sink with mixing tab
- Interior furniture in high quality marine plywood, satin varnished
- Sliding door in deckhouse
- · Galley, coloured, colour: white
- Worktop in galley Marine Mineral Stone, colour: Grained Black

WOOD (FURNITURE, FLOORBOARD)

Furniture - Traditional Mahogany - satin varnish Floorboard - New Zealand Acacia

UPHOLSTERY


- Comfort mattresses for all berths
- Upholstery Dorset, colour: Cream

DECK & OUTSIDE EQUIPMENT

- GRP deck with anti-slip surface, gelcoat colour: Off White , 1st layer vinyl ester resin with balsa sandwich core.
- Synthetic teak on side deck, cockpit bottom, helmsman seats, cockpit benches and bathing platform (colour selection)
- Twin wheel steering system
- · 2 stainless steel steering wheels with leather cover
- · Cockpit table, stainless steel with folding teak tops
- Pulpit and pushpit, stainless steel
- · Railing, stainless steel tube and wire, incl. integrated boarding ladder on both sides
- Halyards and control lines in cockpit at helm position, stern locker, 2 cockpit lockers, 6 retractable mooring cleats, handrail on coach roof, double anchor arm and anchor locker
- 2 LEWMAR 45 EST EVO electrical halyard winches
- · Bathing platform, manual fold-out with swimming ladder







- 2 helmsman seats, foldable
- Anchor windlass, electrical, 1500 W, with automatic fuse, remote control with chain counter
- Delta-anchor 25 kg, galvanized with 60 m galvanized chain
- Self tacking jib system
- Foldable window next to patio door at pantry
- Panoramic decks saloon windows, central glass skylight for decks saloon with 2 opening hatches, 1 fwd. coach roof front window, 1 coach roof hatch (for head - white opaque glass), 4 mitre-cut portlights at coach roof sides, glass skylight on forward coach roof with a big opening hatch

RIG & SAILS

- Rig, anodized aluminium, deck stepped, with kicker, standing and running rigging and 2 reefs
- Bimini with sliding mechanism (colour selection)
- QUANTUM Blue Water Dacron sails full battened, main and jib

NAVIGATION & INSTRUMENTS

- Illuminated compass
- Navigation lights LED
- Wind indicator
- Mast steps

SHIPPING & TRANSPORT

- CE Certificate cat. A 10 / B 12
- Owners manual
- EC Type Examination Certificate

PROPULSION

- Engine (Diesel, approx. 57 hp) saildrive, 3-blade folding propeller
- Bowthruster, 12 V, incl. battery tunnel

EQUIPMENT

- 12 V and 230 V electric system, 230 V shore power and sockets in cabins and heads
- · Battery set, capacity: 1x 90 Ah + 2x 160 Ah AGM
- Country Version: EU / AUS
- Battery charger 50 A
- Shore power 230 V or 110 V
- Electric toilet with sea water flush (master cabin)
- Shower unit in cockpit, warm-/coldwater
- LPG gas system, stowage for 1 gas bottle
- Blackwater system (appr. 54 I per head) with deck extraction and seacock for head
- Freshwater system with electric pump and 20 I hotwater, heated also by main engine
- Fresh water tank, appr. 295 I
- Add. fresh water tank, appr. 180 I
- Fuel tank, approx. 200 l

ACCESSORIES

- Blind set with flyscreens for deck hatches
- Skysol blinds for deckshouse windows
- · Venetian blinds for hull windows